

## HMI DIGITAL 18000 W

HMI DIGITAL | Lámparas de halogenuros metálicos, un casquillo



### Áreas de aplicación

- Studio
- Stage
- TV

### Beneficios del producto

- Suited for both analog and digital film production
- Robust stems, resulting in less breakage during transport
- Round moly-foil construction that evenly distributes heat and current extends for lamp longevity (6,000-18,000 W)
- Splash-proof carrying case is re-usable and allows lamps to be transported safely (6,000-18,000 W)

### Características del producto

- High CRI of >90
- UV-Stop (UVS)
- Color temperature of 6,000 K (daylight)
- Extremely bright light of up to 100 lumens/watt
- Capacidad de nuevo arranque en caliente



# Hoja de datos de producto

## Datos técnicos

### Datos eléctricos

Potencia nominal	18000.00 W
Tensión nominal	225 V
Corriente nominal	88 A

### Datos Fotométricos

Flujo luminoso nominal	1600000 lm
Temperatura de color	6000 K
Índice de reproducción cromática Ra	95

### Dimensiones y peso

Diámetro	100.0 mm
Largo	495.0 mm

### Duración de vida

Duración	300 h
----------	-------

### Datos adicionales del producto

Casquillo (denominación estándar)	GX51
-----------------------------------	------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4062172123372
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	0fcb88f6-5cad-4934-b467-37465d62c7d2

## Hoja de datos de producto

---

### Instrucciones de seguridad

Because of their high luminance, UV radiation and high internal pressure during operation, HMI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

---

### Logistical Data

Código del producto	Descripción del producto	Unidad de embalaje (Piezas/unidad)	Dimensiones (largo x ancho x alto)	Volúmen	Peso bruto
4062172123372	HMI DIGITAL 18000 W	Embalaje de envío 1	400 mm x 400 mm x 900 mm	144.00 dm <sup>3</sup>	5517.00 g

---

El código del producto mencionado describe la unidad más pequeña de la cantidad que se puede pedir. Una unidad de envío puede contener uno o más productos individuales. Al cursar un pedido, introduzca la cantidad de la unidad de envío o su múltiple.

---

### Aviso

Sujeto a cambios sin aviso. Excepto errores y omisiones. Asegúrese de utilizar la emisión más reciente.

---